

Fiche technique

## 3141-4 | Insert, 9141 "C" Al-Brnz w/ 6 0.25" holes



### Présentation du produit: 3141-4 | Insert, 9141 "C" Al-Brnz w/ 6 0.25" holes

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9141 Field Dry-Well.

- Insert "C" 9141

### Spécifications: 3141-4 | Insert, 9141 "C" Al-Brnz w/ 6 0.25" holes

Hole size	Quantity
¼ in (6.35 mm)	6

## Modèles



### **3141-4**

Insert, 9141 "C" Al-Brnz w/ 6 0.25" holes

---

*Soyez à la pointe du progrès avec Fluke.*

**Fluke Corporation**  
PO Box 9090, Everett, WA 98206 U.S.A.

**En savoir plus:**  
U.S.A. (800) 443-5853  
Canada (800) 36-FLUKE  
Autre +1 (425) 446-5500  
[www.fluke.com/fr-ca](http://www.fluke.com/fr-ca)

©2025 Fluke Corporation. Tous droits réservés.  
Informations modifiables sans préavis.  
04/2025

**La modification de ce document est interdite sans  
l'autorisation écrite de Fluke Corporation.**