



Data teknis

1586-2586-KIT | High-Capacity Module with Relay Card





Ikhtisar Produk: 1586-2586-KIT | High-Capacity Module with Relay Card

The High-Capacity Module Kit for 1586A Super-DAQ Precision Temperature Scanner comes with everything you need to

get started making multi-channel data logging measurements with your 1586A. To configure the 1586A yourself for use with the high-capacity module, you will need the relay card that is included with the kit. The kit also includes the 1586-2586 High-Capacity Module with universal input channels designed to measure temperature, resistance, dc voltage, and dc current for data acquisition applications where channel count and scan speed are important.


Includes:

- 1586-2586 High-Capacity Module
- Relay Card

Spesifikasi: 1586-2586-KIT | High-Capacity Module with Relay Card

Specifications	
Maximum Input	50 V
Offset Voltage	<2 μ V
3-Wire Inteal Resistance Mismatch	<50 m Ω
Basic CJC Accuracy	0.6 $^{\circ}$ C

Model



1586-2586-KIT

High-Capacity Module with Relay Card

Fluke. *Memastikan aktivitas Anda terus berjalan dan beroperasi.*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

www.fluke.com

BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: info.asean@fluke.com

www.fluke.com/id

©2025 Fluke Corporation. Specifications subject to change without notice.

04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.