

Dados técnicos

## 3150-2 | Insert, 9150-A Alumina w / misc holes



### Descrição do produto: 3150-2 | Insert, 9150-A Alumina w / misc holes

- Insert "A" 9150, misc holes

### Especificações: 3150-2 | Insert, 9150-A Alumina w / misc holes

Hole size	Quantity
1.6 mm (1/16 in)	1
3.2 mm (1/8 in)	1
4.8 mm (3/16 in)	1
6.35 mm (¼ in)	1
9.5 mm (3/8 in)	1



12.7 mm (½ in)	1
----------------	---

## Modelos



### **3150-2**

Insert, 9150-A Alumina w / misc holes

---

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9150 Thermocouple Furnace.

---

**Fluke.** *Keeping your world up and running.®*

**Fluke Ibérica, S.L.**

Pol. Ind. Valportillo  
C/ Valgrande, 8  
Ed. Thanworth II · Nave B1A  
28108 Alcobendas  
Madrid  
Tel: +34 91 414 0100  
E-mail: [cs.es@fluke.com](mailto:cs.es@fluke.com)  
[www.fluke.pt](http://www.fluke.pt)

©2025 Fluke Corporation. Todos os direitos reservados.

Os dados fornecidos estão sujeitos a alterações sem aviso prévio.

04/2025

**AresAgante, Lda.**

Rua Caminho das Congostas, 320  
4250-159 Porto  
Tel: +351 2 2832 9400  
E-mail: [geral@aresagante.pt](mailto:geral@aresagante.pt)  
[www.aresagante.pt](http://www.aresagante.pt)

**A modificação deste documento não é permitida sem a autorização escrita da Fluke Corporation.**